TECHNICAL SPECIFICATION AVOCADO HASS CAT I

1. Gauge

Caliber	10	12	14	16	18	twenty
Weight (g)	373-462	322-372	276-321	245-275	218-244	198-217
Packaging	22	24	26	28	30	32
	181-197	167-180	152-166	141-151	130-140	85-130

TABLA DE CALIBRAJE PARA MERCADO EUROPEO GENERICO

Calibre	ROTU	IGO LADO uropa)	SOLIC	RANGO SOLICITADO EMBALAJE		
	MIN	MAX	MIN	MAX	10,15 KN	11,20 KN
12	300	371	322	372	29	35
14	258	313	276	321	34	41
16	227	274	245	275	39	47
18	203	243	218	244	44	53
20	184	217	198	217	49	59
22	165	196	181	197	54	65
24	151	175	167	180	59	70
26	144	157	152	166	64	77
28	134	147	141	151	70	84
30	123	137	130	140	75	90
32	80	123	85	130	94	113

TABLA DE CALIBRAJE PARA MERCADO USA GENERICO

Calibre	RANGO SOLICITADO EMBALAJE			JNT //ADO	PLU (sólo según solicitud)
	MIN	MAX	10,15 KN	11,20 KN	GENERICO
32	330	370	29	32	AVOCADO
36	296	329	32	36	4770 PERU
40	253	295	37	41	AVOCADO
50	205	252	45	49	4225 PERU
60	171	204	54	60	4046
70	150	170	63	70	(AVOCADO 4046
84	100	149	82	90	PERU

TECHNICAL SPECIFICATION AVOCADO HASS CAT I

2 . Fruit Appearance and Quality

CHARACTERISTIC	DESCRIPTION	
Color	Characteristic of the variety	
Shape	Characteristic of the variety with a maximum of 5% of fruits with slight deformations.	
Weight	Maximum 10% of fruits out of range, with a Maximum permissible range of deviation of +/- 2 g.	

Defects without tolerance

rodent bite	Not acceptable
bird droppings	Not acceptable
sunblotch	Not acceptable
without stem	Not acceptable.
long stalk	Not acceptable
Hits	Not acceptable
wounds	Not acceptable
bug of the sixty	Not acceptable
Chopped	Not acceptable

Defects: The combination of all defects must not exceed 10% per box.

Damage	Maximum tolerance
you want	Free of insects, with a maximum of 5 cherries per fruit.
sooty mold	Slight presence of sooty mold per fruit, maximum 10% per box.
branchy	Delineated branching: It should not be greater than 5 cm.
thrips	Slight deformation of the fruit.
Misshapen	Slight deformation of the fruit.
sun damage	20% of the fruit (Lemon green / pale yellow)

TECHNICAL SPECIFICATION AVOCADO HASS CAT I

mild lenticelar damage	25% dispersed in the fruit
	1

3. Physical-Chemical Aspects

CHARACTERISTIC	DESCRIPTION
Oil	Minimum 8, Maximum 16%
Dry material	Minimum 21.5% - Maximum 29%